

The background of the top section is a blue gradient with faint, glowing binary code (0s and 1s) and a subtle, wireframe globe pattern.

Jewell

海宁捷晖电子有限公司


Haining Jewell Electronic Co.,Ltd.

公司地址：浙江省海宁市盐官镇园区四路13-1号

电话：0573-87221533 13738286966

电子邮箱 :jewellpart@126.com

电木骨架QC工程图



生产过程



注塑成型



电木骨架去排气口毛边




插针




去细毛边、除尘、去静电

骨架常规检测设备



易上锡性及耐烫锡试验



露铜、毛边及裂纹电子显微镜观察



骨架强度和针脚拉力测试



骨架绕线区对针脚及磁芯耐压测试，插针插裂验证




骨架变形、起泡高温烘烤试验

骨架常规检测设备








高精度电阻仪



SMD骨架PIN平整度CDC检测









卧式推拉力计






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-UF5.9CT4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	REV. :
				2024. 10. 13		A






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1112CT4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE/COPPER	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2024.02.19			A









配套顶盖 LCP-EF12.6MC



P1→P2 N=1Ts 铜片绕组




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EF1110CTL4P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE/COPPER	1.2kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2022.04.21		B	





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE0505B6P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.0kg MIN		
				DATE: 2024.05.10	DRAWING NO. :	REV. : A	




配套顶盖 LCP-EE0505DC









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE05CMD6P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2022.01.20		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: LCP-EE0505DC			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL: LCP			UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
							DATE:
				2022.01.20			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-EE0505M6P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2020.03.20			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16 \pm 0.2$ $16<L\leq 63 \pm 0.3$	$\pm 1^{\circ}$	PF-EE0808D6P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022. 10. 08			A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	$\pm 1^{\circ}$	PF-EE0808M6P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2023. 08. 11		A





配套顶盖 LCP-EF12.6MC







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EF12.6D10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1			1.2kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	2020.12.24	DRAWING NO.:	REV.:
							A








配套顶盖 LCP-EF12.6MC







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EF12.6M10P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2020.12.24		A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	LCP-EF12. 6MC		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	UL REC.	
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL: LCP	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1			
				DATE:	DRAWING NO. :	REV. :
			2021. 10. 26			A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE12. 8L4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2020. 12. 26			A









LCP-EF1616MC








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EF1616M12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2023.02.14		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	LCP-EF1616MC		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	LCP	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
				DATE:	DRAWING NO. :	REV. :
				2023. 02. 28		A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EFD1010U8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	
			2022.08.21			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EFD1515D12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2022.03.14		B	









脚型B模架空0.65
脚型A模架空0.45

脚型A全针料号PF-EFD1515H21.3AK0
脚型B全针料号PF-EFD1515H21.3BK0




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE





DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD1515H10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.4kg MIN	
海宁市捷晖电子有限公司			DATE:	DRAWING NO.:	REV.:		
地址: 浙江省海宁市盐官镇园区四路13-1号			2022.09.12		A		
TEL:0573-87221533 FAX:0573-87223155							



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EFD1515K10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE: 2021.04.05	DRAWING NO. :	REV. : A

地址: 浙江省海宁市盐官镇园区四路13-1号
TEL:0573-87221533 FAX:0573-87223155









脚型B模架空0.60
脚型A模架空0.40

脚型A全针料号PF-EFD1515M21.3AK0
脚型B全针料号PF-EFD1515M21.3BK0






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD1515M10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.4kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :	REV. :	
				2020.03.20		C	






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL YU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EFD1515R16P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2025. 02. 22			A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	TL YU	TOLERANCES	ANGLE:	TITLE: LCP-EFD1515DC				
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°					
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN MATERIAL: LCP E4008		UL REC. UL94 V-0		
APPROVED BY		WALL THICKNESS ±0.15 PIN PITCH ±0.20	MM					
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:		
			1/1					
							DATE:	
				2024. 11. 18				A



脚型B PIN可做0.50*0.70



脚型A PIN做0.40*0.70





脚型C PIN架空0.80 ± 0.10

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE





DRAWN DRAFTED BY	ZH LV	TOLERANCES 0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	ANGLE: ±1°	TITLE: PF-EFD2020D12P			
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
SCALE: 1/1			DATE: 2021.04.02	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.2kg MIN	DRAWING NO. :	REV. : A

海宁捷晖电子有限公司

地址: 浙江省海宁市盐官镇园区四路13-1号
TEL: 0573-87221533 FAX: 0573-87223155






脚型A 挂线空间1.2, 排距可做28.50








脚型B 挂线空间1.4, 排距做28.85

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-EFD2020G12P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL94 V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022.06.20			A



脚型A 全针料号PF-EFD2020M28.7AK0









脚型B 全针料号PF-EFD2020M28.85BK0

脚型C 全针料号PF-EFD2020M28.7CK0







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD2020M16P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1				DATE:	2019.09.26	DRAWING NO.:	
海宁市捷晖电子有限公司						REV.:	B
地址: 浙江省海宁市盐官镇园区四路13-1号							
TEL:0573-87221533 FAX:0573-87223155							





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2525M12P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.		
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL: PHENOLIC	UL 94V-0		
				PIN PITCH ±0.20			
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP/PB WIRE	1.4kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2021.06.24		A	





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE



DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP0708D8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2022.05.21		A



脚型A: 缠线高度0.60 骨架总高9.55





L: Ref. 8.65 ± 0.15





脚型B: 缠线高度0.90 骨架总高9.85

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EP0708G8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2022. 10. 06		A	



脚型A缠线高度0.60 骨架总高9.55



L Ref. 8.65 ± 0.15



脚型B:缠线高度0.90 骨架总高9.85







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP0708L8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.0kg MIN	
DATE:			DRAWING NO.:	REV.:			
2022.04.30				A			


海宁捷晖电子有限公司






地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP0708H8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022. 12. 12			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EP0708S6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2023. 10. 11		A






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP1010L8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.2kg MIN		
海宁市捷晖电子有限公司			DATE:	DRAWING NO.:	REV.:		
地址: 浙江省海宁市盐官镇园区四路13-1号			2023. 07. 26		A		
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1010M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022.03.03			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	$\pm 1^{\circ}$	PF-EP1313D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2024. 4. 26		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1313G10P			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY			MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	CP WIRE		1.2kg MIN	
				DATE:	DRAWING NO. :		REV. :
			2024.06.20			A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1313H10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2023.03.30			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313J12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.08.20			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313J16P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.08.20	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							



PIN缠线加高，脚型模B





DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0 < L \leq 4 \pm 0.1$ $4 < L \leq 16 \pm 0.2$ $16 < L \leq 63 \pm 0.3$	$\pm 1^\circ$	PF-EP1313L10P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	UL REC.	
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL: 0573-87221533 FAX: 0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO.:	REV.:
				2020.08.20		A







L加高 脚型C

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313L10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1			1.2kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	2020.08.20	DRAWING NO.:	REV.:
							A







脚型A全针料号: PF-EP1313M16.9AK0



脚型B全针料号: PF-EP1313M17.4BK0







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP1313M10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.05.20	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EPC1008D8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0
APPROVED BY		WALL THICKNESS ±0.15 PIN PITCH ±0.20	MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
			1/1			
						
				2024.03.12		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1008M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2020.08.29		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1314D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2022. 12. 18			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL YU	TOLERANCES	ANGLE:	TITLE: PF-EPC1314G10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2025. 05. 28			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EPC1314L10P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.2kg MIN		
				DATE: 2025.02.19	DRAWING NO. :	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EPC1717D9P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	REV. :
				2023. 12. 16		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE:			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1919M12P			
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.2kg MIN	
				DATE: 2021.08.28		DRAWING NO. :	REV. :
							A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER0805M8P (ER7.5)		
CHECKED APPROVED BY	CF CAO	16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
				DATE: 2021.06.26	DRAWING NO. :	REV. : B









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER0905D8P (ER9.5)			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP/PB WIRE	1.0kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022. 12. 10		A	
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE.
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: WH9-ER0905G8P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: WH-9100		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: PB WIRE		PIN TENSION LOAD: 1.40 kg MIN	
				DATE.: 2025.06.16	DRAWING NO.:	REV. : A	



ER11.5/05

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER1105D10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
海宁捷晖电子有限公司			1/1			1.0kg MIN	
地址: 浙江省海宁市盐官镇园区四路13-1号				DATE:	2022.08.10	DRAWING NO.:	REV.:
TEL:0573-87221533 FAX:0573-87223155							A



ER11.5/05

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER1105M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2021.06.28			A



ER11.5/07







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER1107M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2021.06.28			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER1306M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2020.06.28			A








REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: PF-ER14.5D10P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS ±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: PHENOLIC		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.40 kg MIN	
				DATE.: 2023 04 26	DRAWING NO.:	REV. : A	

海宁捷晖电子有限公司
地址: 浙江省海宁市盐官镇园区四路13-1号
TEL:0573-87221533 FAX:0573-87223155




REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE.
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: PF-ER14.5M12P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: PHENOLIC		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.20 kg MIN	
				DATE.: 2019.08.16	DRAWING NO.:	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BT0502L4P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN		UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC		UL 94V-0	
			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	CP WIRE		1.0kg MIN	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇郭春路8号 TEL:0573-87221533 FAX:0573-87223155				DATE:		DRAWING NO. :	REV. :
				2024.02.24			B









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT0503L6P		
CHECKED	CF CAO		UNIT:	BOBBIN		UL REC.
APPROVED BY			MM	MATERIAL: PHENOLIC		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
				2023. 04. 06		A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE: ± 1 °	TITLE: PF-BT0703H4P		
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0
CHECKED APPROVED BY	CF CAO		SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇郭春路8号 TEL:0573-87221533 FAX:0573-87223155				DATE: 2024.01.16	DRAWING NO. :	REV. : A



推荐焊盘


REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BT0703L6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN		UL REC.
APPROVED BY			MM	MATERIAL: PHENOLIC		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
					DATE:	DRAWING NO. :
			2023. 04. 16		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1011D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	PB/CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2024. 11. 19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TL YU	TOLERANCES	ANGLE: $\pm 1^{\circ}$	TITLE: PF-BT1011DC		
CHECKED APPROVED BY	CF CAO	0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:		PIN TENSION LOAD:
				DATE: 2025.02.25	DRAWING NO. :	REV. : A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1011M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2022. 12. 18		B	





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	PF-BT1205L8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023.04.01			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1206C6P			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY			MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	CP WIRE		1.0kg MIN	
				DATE:		DRAWING NO. :	
			2024.03.11				C





配套外盖 LCP-BT1207MC





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE



DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^\circ$	PF-BT1207M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL94 V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022.06.20			A




配套外盖 LCP-BT1207MC








L: Ref. 14.80 ± 0.15









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16 \pm 0.2$ $16<L\leq 63 \pm 0.3$	$\pm 1^{\circ}$	PF-BT1207M10P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL94 V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022.06.20			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: LCP-BT1207MC			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: LCP	UL REC. UL94 V-0		
APPROVED BY			MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
				DATE: 2022.06.20		DRAWING NO. :	REV. : A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1208D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023.03.26			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-BT1305A4S			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL:			PHENOLIC
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
							DATE:
				2018. 11. 25			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BFT1515L4P(SQ1515)		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2023.01.16			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE0809C6P		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$			
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0
APPROVED BY		PIN PITCH ± 0.20	MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
						
			DATE:	DRAWING NO. :		REV. :
			2020.08.22			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES		ANGLE:	TITLE: PF-EE10.2A8P		
DRAFTED BY		0<L≤4 ±0.1	PIN PITCH	±1°			
CHECKED		4<L≤16 ±0.2		UNIT:	BOBBIN MATERIAL:	UL REC.	
APPROVED BY	CF CAO	16<L≤63 ±0.3	±0.20	MM	PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司				SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号				1/1	CP WIRE	0.8kg MIN	
TEL: 0573-87221533 FAX: 0573-87223155					DATE:	DRAWING NO:	REV.
					2018.05.03		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1011G6P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2018. 12. 11			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE1112B8P			
DRAFTED BY		$0<L\leq 4\pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^\circ$				
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0	
APPROVED BY			MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN	
			1/1				
							DATE: 2020.10.10









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^{\circ}$	PF-EE12.8A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2020.12.24			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^{\circ}$	PF-EE1312A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2018.08.08	A	




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE1312B10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2019.01.04		A	











REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^\circ$	PF-EE1312E10P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2022. 12. 19			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1312F10P		
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.2kg MIN
				DATE: 2024.08.12	DRAWING NO. :	REV. : A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1313H10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2018.08.08			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE1615A8P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2018.08.08			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE1713C7P		
CHECKED APPROVED BY	CF CAO	16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
				2024. 11. 14		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE1916A10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.		
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL: PHENOLIC	UL 94V-0		
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.0kg MIN		
海宁捷晖电子有限公司				DATE: 2020.01.07	DRAWING NO.:	REV.:	
地址: 浙江省海宁市盐官镇园区四路13-1号						A	
TEL:0573-87221533 FAX:0573-87223155							










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EE2021D4P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		MM	MATERIAL:	UL 94V-0		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2021.01.24			B









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE2218A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC.	
APPROVED BY			MM		UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2021.01.21		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE
B	修改尺寸上下挡板，绕线槽幅宽。		20.06.18				

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE2417A8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2020.01.16		B



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^{\circ}$	PF-EE2821A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2019. 12. 27			A



配EE42-20铁芯







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES 0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	ANGLE: ±1°	TITLE: PF-EE4242B18P (EE4220)			
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0		
海宁捷晖电子有限公司			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.8Kg min		
地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155				DATE: 2021. 11. 25	DRAWING NO. :	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EF1616A8P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.0kg MIN	
海宁市捷晖电子有限公司			DATE:	2020.12.05	DRAWING NO.:		REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EF2020A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0
APPROVED BY			MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.2kg MIN
			1/1			
						
				2018.07.28		







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EF2020E9P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2023. 02. 18		A









DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EF2121A18P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO.:	
				2018.11.02		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63 ±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EF2525A8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2019.09.05		B	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL LIU	TOLERANCES	ANGLE:	TITLE: PF-EI4035A12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			mm	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
				2020.12.08		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EM1614A7P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022. 10. 29			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EM1817A7P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1			1.4kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	2019.01.21	DRAWING NO.:	REV.:
							A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EFD2020A8P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.03.26			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2020B8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2020.03.26			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^\circ$	PF-EFD2020C10P			
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	CP WIRE		1.2kg MIN	
				DATE:		DRAWING NO. :	REV. :
				2020.04.16			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^\circ$	PF-EFD2020E10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2020.04.16		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^\circ$	PF-EFD2120F24P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023. 08. 28			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2525A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.05.20			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EFD3030B12P		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$			
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN MATERIAL:	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM			UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2021. 04. 02			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1314A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2025.02.19			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ED1510A8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.05.30		A	




Jewell 海宁捷晖
0573-87221533







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EDR2010B8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0	
APPROVED BY		PIN PITCH ±0.20	MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2019.09.20			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EDR2209A6P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°				
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0		
APPROVED BY		PIN PITCH ±0.20	MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN	
			1/1				
							DATE: 2018.11.22
						REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ATQ2218A9P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2020.07.22		A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ATQ2718AC				
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°					
CHECKED	CF CAO	WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT:	BOBBIN	UL REC.			
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:		
			1/1	DATE: 2025.02.24		DRAWING NO. :	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EQ1913B7P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2021.03.24			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EQ2015A10P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.2kg MIN		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区4路13-1号 TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :		REV. :
				2024. 05. 13			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EQ3213A6P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.4kg MIN		
				DATE: 2024.04.26	DRAWING NO. :	REV. : A	










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^{\circ}$	PF-ER2828A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.10.20		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1 \quad 4<L\leq 16 \pm 0.2$ $16<L\leq 63 \pm 0.3$	$\pm 1^\circ$	PF-ER2828B12P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2019.05.19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER2934W12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	
			2022.07.07			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ETD3940W14P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	
			2020.07.28			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PET-ETD3940WC		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PET		UL REC. UL 94V-0
APPROVED BY			MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
						
				2020.07.28		



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-ETD4951S8P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	UL REC.	
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2021.08.16			A



PQ2013磁芯通用







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-LQ2013A8P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
			PIN PITCH ±0.20	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			SCALE:			1.0kg MIN	
			1/1	DATE:	2021.08.07	DRAWING NO.:	REV.:
							A

海宁捷晖电子有限公司







地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-PQ2013F10P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC.	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	1.4kg MIN
				DATE:	2022. 09. 26	DRAWING NO. :	REV. : B








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2016B14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2019.10.25		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2016C14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2019.10.25		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ2020A8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2018.07.02		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-PQ2020B14P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2019. 10. 25		A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-PQ2020C14P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2019. 10. 25		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020D14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.2kg MIN	
海宁市捷晖电子有限公司			DATE:	DRAWING NO. :	REV. :		
地址: 浙江省海宁市盐官镇园区四路13-1号			2020.12.28		A		
TEL:0573-87221533 FAX:0573-87223155							




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020F12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.2kg MIN	
海宁市捷晖电子有限公司			DATE:	DRAWING NO.:		REV.:	
地址: 浙江省海宁市盐官镇园区四路13-1号			2023.05.18			A	
TEL:0573-87221533 FAX:0573-87223155							




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-PQ2620A12P			
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$	$\pm 1^{\circ}$				
CHECKED	CF CAO	$16<L\leq 63\pm 0.3$	UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0		
APPROVED BY		WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.4kg MIN	
			1/1				
							DATE:
				2018.05.30			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2620B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1				DATE:	2018.07.12	DRAWING NO. :	REV. :
							A

海宁捷晖电子有限公司

地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2620C12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.4kg MIN	
DATE:			DRAWING NO. :	REV. :			
2018.08.21				A			


海宁捷晖电子有限公司







地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2625A12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.05.30			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16 \pm 0.2$ $16<L\leq 63 \pm 0.3$	$\pm 1^{\circ}$	PF-PQ2625B12P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018.07.06			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ2625C12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2018.07.06		A	




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3220A12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.05.30			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3220B12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	REV. :
			2022.04.30			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3220C8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1				DATE:	2020.09.11	DRAWING NO.:	
						REV.:	A


海宁捷晖电子有限公司







地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-PQ3225A12P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018.05.30			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3230A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018.05.30			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3415A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2018.05.30		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3418B2P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2023. 09. 01			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3526B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL94 V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.4kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :	REV. :	
				2022.05.25		A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ4040E12P			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY			MM	MATERIAL:		UL94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	CP WIRE		2.0kg MIN	
				DATE:		DRAWING NO. :	REV. :
				2024. 07. 30			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ5050A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		2.0kg MIN
				DATE:	DRAWING NO. :	
			2018. 10. 10			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-RM0511A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2021.04.29			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-RM0711V7P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1	DATE:	2019. 10. 30	DRAWING NO. :	REV. :
							A

海宁捷晖电子有限公司

地址: 浙江省海宁市盐官镇园区四路13-1号







TEL:0573-87221533 FAX:0573-87223155



DATE: 2019. 10. 30







DRAWING NO. :

REV. : A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-RM0816A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2023.02.01		A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-RM1018A12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.05.25	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							










REV.	REVISIONS	REC.

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	$\pm 1^{\circ}$	PF-EM10. 2A8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2025. 06. 28		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1314A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2025. 02. 19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE08CMA4P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0		
APPROVED BY			MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 0.8kg MIN	
							
			DATE:	DRAWING NO. :		REV. :	
			2019.5.21			A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE10CMA8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.08.08		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4\pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EF12.7CMA6P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2020.06.02			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE13CMA10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
				2018.08.08	A	





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-UU9. 8A4P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.08.08			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-UU10.5CMB4P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2020.07.11			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TY YANG	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PPS-ES19P8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PPS A504	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	C5191R-1/2 t:0.3		1.4kg MIN
				DATE:	DRAWING NO. :	REV. :
			2018.06.20			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-BFT1613A4P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2019.02.15			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BFT1819A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018. 11. 12			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PET-EED2516AB		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PET		UL REC. UL 94V-0
APPROVED BY			MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
				DATE: 2023. 07. 06		DRAWING NO. : A
						REV. : A