

The background of the top half of the image features a blue gradient with faint, glowing binary code (0s and 1s) and a subtle, wireframe globe pattern.

Jewell

海宁捷晖电子有限公司


Haining Jewell Electronic Co.,Ltd.

公司地址：浙江省海宁市盐官镇园区四路13-1号

电话：0573-87221533 13738286966

电子邮箱 :jewellpart@126.com

电木骨架QC工程图



生产过程



注塑成型



电木骨架去排气口毛边




插针




去细毛边、除尘、去静电

骨架常规检测设备



易上锡性及耐烫锡试验



露铜、毛边及裂纹电子显微镜观察



骨架强度和针脚拉力测试



骨架绕线区对针脚及磁芯耐压测试，插针插裂验证




骨架变形、起泡高温烘烤试验

骨架常规检测设备








高精度电阻仪



SMD骨架PIN平整度CDC检测









卧式推拉力计





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE: ± 1°	TITLE: PF-UF5. 9CT4P		
CHECKED APPROVED BY	CF CAO	0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
				DATE: 2024. 10. 13	DRAWING NO. :	REV. : A






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE1112CT4P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE/COPPER	PIN TENSION LOAD: 1.0kg MIN		
				DATE: 2024.02.19	DRAWING NO. :	REV. : A	









配套顶盖 LCP-EF12.6MC



P1→P2 N=1Ts 铜片绕组




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EF1110CTL4P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE/COPPER	1.2kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :	REV. :	
				2022.04.21		B	






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE0505B6P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.0kg MIN		
				DATE: 2024.05.10	DRAWING NO. :	REV. : A	




配套顶盖 LCP-EE0505DC









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE05CMD6P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.0kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022.01.20		A	
TEL:0573-87221533 FAX:0573-87223155							








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: LCP-EE0505DC			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL: LCP			UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
							DATE:
				2022.01.20			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE0505M6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0
APPROVED BY			MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
			1/1			
						
				2020.03.20		





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE0808D6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	UL REC.	
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022. 10. 08			A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EE0808M6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023. 08. 11			A





配套顶盖 LCP-EF12.6MC







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EF12.6D10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	DATE:		DRAWING NO.:	REV.:
TEL:0573-87221533 FAX:0573-87223155				2020.12.24			A








配套顶盖 LCP-EF12.6MC







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EF12.6M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2020.12.24			A






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: LCP-EF12. 6MC		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN MATERIAL: LCP	UL REC. UL 94V-0	
APPROVED BY		PIN PITCH ±0.20	MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
						
				2021. 10. 26		A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE12. 8L4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2020. 12. 26		A









LCP-EF1616MC








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EF1616M12P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	UL 94V-0
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:			
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	1.2kg MIN
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	DATE:	2023.02.14	DRAWING NO.:	REV.:
TEL:0573-87221533 FAX:0573-87223155							A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE: LCP-EF1616MC			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	LCP	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:		PIN TENSION LOAD:	
				DATE: 2023.02.28	DRAWING NO.:		REV. : A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EFD1010U8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022.08.21			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EFD1515D12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022.03.14			B









脚型A全针料号PF-EFD1515H21. 3AK0
脚型B全针料号PF-EFD1515H21. 3BK0







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD1515H10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.4kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022. 09. 12		A	
TEL:0573-87221533 FAX:0573-87223155							




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EFD1515K10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2021.04.05		A









脚型B模架空0.60
脚型A模架空0.40

脚型A全针料号PF-EFD1515M21.3AK0
脚型B全针料号PF-EFD1515M21.3BK0






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD1515M10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.4kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :	REV. :	
				2020.03.20		C	





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TL YU	TOLERANCES	ANGLE:	TITLE: PF-EFD1515R16P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC.	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	1.2kg MIN
				DATE:	2025. 02. 22	DRAWING NO. :	REV. : A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN DRAFTED BY	TL YU	TOLERANCES	ANGLE:	TITLE: LCP-EFD1515DC			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL: LCP E4008		UL REC. UL94 V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:		PIN TENSION LOAD:	
				DATE: 2024. 11. 18		DRAWING NO. :	REV. : A



脚型B PIN可做0.50*0.70





脚型A PIN做0.40*0.70







脚型C PIN架空0.80 ± 0.10

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD2020D12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.2kg MIN	
海宁市捷晖电子有限公司			DATE:	DRAWING NO.:	REV.:		
地址: 浙江省海宁市盐官镇园区四路13-1号			2021.04.02		A		
TEL:0573-87221533 FAX:0573-87223155							






脚型A 挂线空间1.2, 排距可做28.50








脚型B 挂线空间1.4, 排距做28.85

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-EFD2020G12P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL94 V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022.06.20			A



脚型A 全针料号PF-EFD2020M28.7AK0









脚型B 全针料号PF-EFD2020M28.85BK0


脚型C 全针料号PF-EFD2020M28.7CK0







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD2020M16P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	DATE:		DRAWING NO.:	REV.:
TEL:0573-87221533 FAX:0573-87223155				2019.09.26			B






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2525M12P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0	
APPROVED BY			MM				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP/PB WIRE		PIN TENSION LOAD: 1.4kg MIN	
			1/1				
				DATE: 2021.06.24		DRAWING NO. :	REV. : A







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EP0708D8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2022.05.21		A





脚型A: 缠线高度0.60 骨架总高9.55





脚型B: 缠线高度0.90 骨架总高9.85

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EP0708G8P					
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°						
CHECKED	CF CAO	WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0			
APPROVED BY			MM						
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.2kg MIN			
			1/1						
				DATE:		DRAWING NO. :	REV. :		
				2022. 10. 06					
							A		



脚型A缠线高度0.60 骨架总高9.55



L Ref. 8.65 ± 0.15



脚型B:缠线高度0.90 骨架总高9.85







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP0708L8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.0kg MIN	
DATE:			DRAWING NO.:	REV.:			
2022.04.30				A			

海宁捷晖电子有限公司






地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP0708H8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	
			2022. 12. 12			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EP0708S6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2023. 10. 11		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP1010L8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.2kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2023. 07. 26		A	
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1010M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2022.03.03			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313D10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2024. 4. 26			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1313G10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2024. 06. 20			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EP1313H10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2023.03.30			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313J12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC. UL 94V-0	
APPROVED BY			MM	MATERIAL: PHENOLIC		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2020.08.20			A






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE



DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313J16P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.08.20	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							



PIN缠线加高, 脚型模B









脚型A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE



DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313L10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	UL 94V-0
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:			
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	1.2kg MIN
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	DATE:	2020.08.20	DRAWING NO.:	REV.:
TEL:0573-87221533 FAX:0573-87223155							A








L加高 脚型C

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EP1313L10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.08.20	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							







脚型A全针料号: PF-EP1313M16.9AK0



脚型B全针料号: PF-EP1313M17.4BK0







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EP1313M10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.2kg MIN	
海宁市捷晖电子有限公司				DATE:	2020.05.20	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EPC1008D8P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
地址: 浙江省海宁市盐官镇园区四路13-1号				2024.03.12		A
TEL:0573-87221533 FAX:0573-87223155						










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1008M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2020.08.29			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1314D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2022. 12. 18			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL YU	TOLERANCES	ANGLE:	TITLE: PF-EPC1314G10P						
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°							
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0				
APPROVED BY			MM							
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.2kg MIN				
			1/1							
				DATE:		DRAWING NO. :		REV. :		
				2025. 05. 28				A		









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EPC1314L10P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.2kg MIN		
				DATE: 2025.02.19	DRAWING NO. :	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1717D9P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO.:	
				2023. 12. 16	A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1919M12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2021.08.28			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER0805M8P (ER7.5)		
CHECKED APPROVED BY	CF CAO	16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN
				DATE: 2021.06.26	DRAWING NO. :	REV. : B









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER0905D8P (ER9.5)			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP/PB WIRE	1.0kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022. 12. 10		A	
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE.
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: WH9-ER0905G8P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: WH-9100		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: PB WIRE		PIN TENSION LOAD: 1.40 kg MIN	
				DATE.: 2025.06.16	DRAWING NO.:	REV. : A	



ER11.5/05

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER1105D10P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
海宁捷晖电子有限公司			1/1	DATE:	2022.08.10	DRAWING NO.:	REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							



ER11. 5/05

REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ER1105M8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2021.06.28		A	



ER11.5/07







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER1107M8P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2021.06.28			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER1306M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.06.28			A








REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE.
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: PF-ER14.5D10P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: PHENOLIC		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.40 kg MIN	
				DATE.: 2023.04.26	DRAWING NO.:	REV. : A	

海宁捷晖电子有限公司
 地址: 浙江省海宁市盐官镇园区四路13-1号
 TEL:0573-87221533 FAX:0573-87223155








REV.	REVISIONS REC.		DATE.	REV.	REVISIONS REC.		DATE.
DRAWN BY	ZH.LV	TOLERANCE	ANGLE: ±1°	TITLE: PF-ER14.5M12P			
		0<L≤4±0.1 4<L≤16±0.2 16<L≤63±0.3 PIN PITCH±0.20 WALL THICKNESS±0.15					
CHECKED BY	CF.CAO		UNIT: mm	BOBBIN MATERIAL: PHENOLIC		UL REC. : UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.20 kg MIN	
				DATE.: 2019.08.16	DRAWING NO.:	REV. : A	



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE






DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BT0502L4P						
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°							
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PHENOLIC		UL REC. UL 94V-0				
APPROVED BY			MM							
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇郭春路8号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT: CP WIRE		PIN TENSION LOAD: 1.0kg MIN				
			1/1							
				DATE:		DRAWING NO. :		REV. :		
				2024.02.24				B		



推荐焊盘






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-BT0503L6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN		UL REC.
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2023.04.06			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT0703H4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇郭春路8号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2024.01.16		A



推荐焊盘


REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BT0703L6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN		UL REC.
APPROVED BY			MM	MATERIAL: PHENOLIC		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023. 04. 16			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$	$\pm 1^{\circ}$	PF-BT1011D10P			
CHECKED	CF CAO	$16<L\leq 63\pm 0.3$	UNIT:	BOBBIN	UL REC.	UL 94V-0	
APPROVED BY		WALL THICKNESS ± 0.15	MM	MATERIAL:	PHENOLIC		
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1	PB/CP WIRE		1.2kg MIN	
地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155				DATE:		DRAWING NO. :	REV. :
				2024. 11. 19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL YU	TOLERANCES	ANGLE:	TITLE: PF-BT1011DC			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
				DATE: 2025.02.25		DRAWING NO. :	REV. : A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^\circ$	PF-BT1011M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2022. 12. 18			B





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	PF-BT1205L8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023.04.01			A





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1206C6P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2024. 03. 11			C





配套外盖 LCP-BT1207MC





REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE



DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BT1207M8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2022.06.20		A




配套外盖 LCP-BT1207MC









L: Ref. 14.80 ± 0.15



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1207M10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL94 V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2022.06.20			A

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	LCP-BT1207MC		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	LCP MATERIAL:	UL94 V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1			
				DATE:	DRAWING NO. :	REV. :
				2022.06.20		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BT1208D10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL94 V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023. 03. 26			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-BT1305A4S			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL: PHENOLIC			UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
							DATE:
				2018. 11. 25			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BFT1515L4P(SQ1515)		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2023.01.16			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE0809C6P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.08.22			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES		ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16 ±0.2 16<L≤63±0.3 壁 厚 ±0.15	PIN PITCH ±0.20	±1°	PF-EE10.2A8P		
CHECKED	CF CAO			UNIT:	BOBBIN	UL REC.	
APPROVED BY				MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155				SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
				1/1	CP WIRE	0.8kg MIN	
					DATE:	DRAWING NO:	REV.
				2018.05.03			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1011G6P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	
			2018. 12. 11			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE1112B8P		
DRAFTED BY		$0<L\leq 4\pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^\circ$			
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2020.10.10			A



Jewell 海宁捷晖
0573-87221533







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE12.8A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2020.12.24			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1312A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2018.08.08			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE1312B10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2019.01.04		A	










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63 \pm 0.3$	$\pm 1^{\circ}$	PF-EE1312E10P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2022. 12. 19			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1312F10P		
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:	PIN TENSION LOAD:	
				CP WIRE	1.2kg MIN	
				DATE: 2024.08.12	DRAWING NO. :	REV. : A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE1313H10P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.08.08			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE1615A8P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EE1713C7P		
CHECKED APPROVED BY	CF CAO	16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
				2024. 11. 14		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE1916A10P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.		
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL: PHENOLIC	UL 94V-0		
				PIN PITCH ±0.20			
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE: 2020.01.07	DRAWING NO.:	REV.:	A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EE2021D4P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		MM	MATERIAL:	UL 94V-0		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2021.01.24			B









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE2218A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2021.01.21			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE
B	修改尺寸上下挡板，绕线槽幅宽。		20.06.18				

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE2417A8P		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$			
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	UL REC.	
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2020.01.16		B



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EE2821A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2019. 12. 27			A



配EE42-20铁芯







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES 0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	ANGLE: ±1°	TITLE: PF-EE4242B18P (EE4220)			
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0		
海宁捷晖电子有限公司			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.8Kg min		
地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155				DATE: 2021. 11. 25	DRAWING NO. :	REV. : A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EF1616A8P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1			1.0kg MIN	
海宁市捷晖电子有限公司			DATE:	2020.12.05	DRAWING NO.:		REV.:
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							






REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EF2020A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018.07.28			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EF2020E9P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2023.02.18		A









DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EF2121A18P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2018. 11. 02		A



飞线槽侧脚位为5-6-7-8脚







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EF2525A8P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	DATE:		DRAWING NO. :	REV. :
TEL:0573-87221533 FAX:0573-87223155				2019.09.05			B







REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL LIU	TOLERANCES	ANGLE:	TITLE: PF-EI4035A12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			mm	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO.:	
			2020.12.08			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EM1614A7P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022. 10. 29			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EM1817A7P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2019.01.21			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES $0 < L \leq 4 \pm 0.1$ $4 < L \leq 16 \pm 0.2$ $16 < L \leq 63 \pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	ANGLE: $\pm 1^\circ$	TITLE: PF-EFD2020A8P			
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC.	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL: 0573-87221533 FAX: 0573-87223155			SCALE: 1/1	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	1.2kg MIN
				DATE:	2020.03.26	DRAWING NO.:	REV.: A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2020B8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE: 2020.03.26	DRAWING NO. :	REV. : A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-EFD2020C10P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2020.04.16			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-EFD2020E10P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2020.04.16			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$ WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	$\pm 1^\circ$	PF-EFD2120F24P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2023. 08. 28			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EFD2525A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2020.05.20			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EFD3030B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1			1.2kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	2021.04.02	DRAWING NO.:	REV.:
							A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EPC1314A10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2025.02.19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ED1510A8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.05.30		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-EDR2010B8P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
			2019.09.20			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EDR2209A6P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018. 11. 22			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ATQ2218A9P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2020.07.22		A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-ATQ2718AC			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED	CF CAO	WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT:	BOBBIN	UL REC.		
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0	
			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:	
			1/1				
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :		REV. :
				2025.02.24			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EQ1913B7P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	REV.
			2021.03.24			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	TC LIU	TOLERANCES	ANGLE:	TITLE:		
		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-EQ2015A10P		
CHECKED APPROVED BY	CF CAO	16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区4路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT:		PIN TENSION LOAD:
				CP WIRE	1.2kg MIN	
			DATE: 2024. 05. 13		DRAWING NO. :	REV. : A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN DRAFTED BY	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-EQ3213A6P			
		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°				
CHECKED APPROVED BY	CF CAO		UNIT: MM	BOBBIN MATERIAL:	PHENOLIC	UL REC. UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE: 1/1	TERMINAL MAT: CP WIRE	PIN TENSION LOAD: 1.4kg MIN		
				DATE: 2024.04.26	DRAWING NO.:	REV.:	A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-ER2828A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
				2018. 10. 20		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER2828B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.2kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2019.05.19		A	
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ER2934W12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL94 V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.4kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022.07.07		A	
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-ETD3940W14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.4kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2020.07.28		A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PET-ETD3940WC		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PET	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
				DATE:	DRAWING NO. :	
			2020.07.28			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4 \pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^{\circ}$	PF-ETD4951S8P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ± 0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2021.08.16			A









DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-LQ2013A8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2021.08.07		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-PQ2013F10P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022. 09. 26			B








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2016B14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2019.10.25		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2016C14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.0kg MIN		
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO.:	REV.:	
				2019.10.25		A	










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020A8P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.07.02			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-PQ2020B14P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2019. 10. 25			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-PQ2020C14P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
				2019. 10. 25		A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020D14P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.2kg MIN	
DATE:			DRAWING NO. :	REV. :			
2020.12.28				A			

海宁捷晖电子有限公司


地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020F12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1			1.2kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	2023.05.18	DRAWING NO.:	REV.:
							A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2020F12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
海宁捷晖电子有限公司			1/1	DATE:	2023.05.18	DRAWING NO. :	REV. :
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ2620A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO.:	
				2018.05.30		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2620B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
海宁捷晖电子有限公司			1/1	DATE:	2018.07.12	DRAWING NO. :	REV. :
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2620C12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
海宁捷晖电子有限公司			1/1	DATE:	2018.08.21	DRAWING NO. :	REV. :
地址: 浙江省海宁市盐官镇园区四路13-1号							A
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2625A12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
地址: 浙江省海宁市盐官镇园区四路13-1号			1/1	CP WIRE	1.4kg MIN	
TEL:0573-87221533 FAX:0573-87223155				DATE:	DRAWING NO. :	REV. :
				2018.05.30		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2625B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1				DATE:	2018.07.06	DRAWING NO. :	REV. :
海宁市捷晖电子有限公司						A	
地址: 浙江省海宁市盐官镇园区四路13-1号							
TEL:0573-87221533 FAX:0573-87223155							









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ2625C12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	REV. :
			2018.07.06			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3220A12P		
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.05.30		A	










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3220B12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:	UL 94V-0	
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2022.04.30			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°	PF-PQ3225A12P		
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2018.05.30			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3230A12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1				DATE:	2018.05.30	DRAWING NO. :	
						REV. :	A


海宁捷晖电子有限公司







地址: 浙江省海宁市盐官镇园区四路13-1号

TEL:0573-87221533 FAX:0573-87223155










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3415A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
				2018.05.30		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ3418B2P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.4kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2023. 09. 01		A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-PQ3526B12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL94 V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:		
			1/1	CP WIRE	1.4kg MIN		
海宁市捷晖电子有限公司				DATE:	DRAWING NO. :	REV. :	
地址: 浙江省海宁市盐官镇园区四路13-1号				2022.05.25		A	
TEL:0573-87221533 FAX:0573-87223155							








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ4040E12P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		2.0kg MIN
				DATE:	DRAWING NO. :	REV. :
			2024. 07. 30			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-PQ5050A12P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		2.0kg MIN
				DATE:	DRAWING NO. :	
			2018. 10. 10			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-RM0511A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
				2021.04.29		A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-RM0711V7P			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°				
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
		PIN PITCH ±0.20	SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
			1/1	DATE:	2019. 10. 30	DRAWING NO. :	REV. :
							A

海宁捷晖电子有限公司

地址: 浙江省海宁市盐官镇园区四路13-1号







TEL:0573-87221533 FAX:0573-87223155








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-RM0816A12P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY		PIN PITCH ±0.20	MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO.:	
			2023.02.01			A








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE


DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:			
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2	±1°	PF-RM1018A12P			
CHECKED	CF CAO	16<L≤63±0.3	UNIT:	BOBBIN	PHENOLIC	UL REC.	
APPROVED BY		WALL THICKNESS ±0.15	MM	MATERIAL:		UL 94V-0	
PIN PITCH ±0.20			SCALE:	TERMINAL MAT:	CP WIRE	PIN TENSION LOAD:	
1/1						1.2kg MIN	
海宁市捷晖电子有限公司			DATE:	DRAWING NO.:		REV.:	
地址: 浙江省海宁市盐官镇园区四路13-1号			2020.05.25			A	
TEL:0573-87221533 FAX:0573-87223155							









DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EM10.2A8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	REV. :
				2025.06.28		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EPC1314A10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2025.02.19			A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PF-EE08CMA4P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		0.8kg MIN
				DATE:	DRAWING NO. :	REV. :
			2019.5.21		A	








REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE10CMA8P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO. :	
				2018.08.08		A









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		$0<L\leq 4\pm 0.1$ $4<L\leq 16\pm 0.2$ $16<L\leq 63\pm 0.3$	$\pm 1^\circ$	PF-EF12.7CMA6P		
CHECKED	CF CAO	WALL THICKNESS ± 0.15 PIN PITCH ± 0.20	UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL: PHENOLIC	UL 94V-0	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2020.06.02		A	









REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-EE13CMA10P		
CHECKED	CF CAO		UNIT:	BOBBIN	PHENOLIC	UL REC.
APPROVED BY			MM	MATERIAL:		UL 94V-0
海宁捷晖电子有限公司 地址：浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.0kg MIN
				DATE:	DRAWING NO.:	
			2018.08.08			A










REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-UU9.8A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.0kg MIN	
				DATE:	DRAWING NO. :	REV. :
			2018.08.08		A	




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	TC LIU	TOLERANCES	ANGLE:	TITLE: PF-UU10.5CMB4P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:		
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.4kg MIN
				DATE:	DRAWING NO. :	
			2020.07.11			A




REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE







DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE: PF-BFT1613A4P		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3	±1°			
CHECKED	CF CAO	WALL THICKNESS ±0.15	UNIT:	BOBBIN MATERIAL: PHENOLIC	UL REC. UL 94V-0	
APPROVED BY		PIN PITCH ±0.20	MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1	CP WIRE		1.2kg MIN
				DATE:	DRAWING NO. :	
			2019.02.15			A

地址: 浙江省海宁市盐官镇园区四路13-1号
TEL:0573-87221533 FAX:0573-87223155



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	ZH LV	TOLERANCES	ANGLE:	TITLE:		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°	PF-BFT1819A4P		
CHECKED	CF CAO		UNIT:	BOBBIN	UL REC.	
APPROVED BY			MM	MATERIAL:	PHENOLIC	
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:	PIN TENSION LOAD:	
			1/1	CP WIRE	1.2kg MIN	
				DATE:	DRAWING NO. :	
			2018.11.12			A



REV.	REVISIONS	REC.	DATE	REV.	REVISIONS	REC.	DATE

DRAWN	TL	TOLERANCES	ANGLE:	TITLE: PET-EED2516AB		
DRAFTED BY		0<L≤4 ±0.1 4<L≤16±0.2 16<L≤63±0.3 WALL THICKNESS ±0.15 PIN PITCH ±0.20	±1°			
CHECKED	CF CAO		UNIT:	BOBBIN MATERIAL: PET		UL REC. UL 94V-0
APPROVED BY			MM			
海宁捷晖电子有限公司 地址: 浙江省海宁市盐官镇园区四路13-1号 TEL:0573-87221533 FAX:0573-87223155			SCALE:	TERMINAL MAT:		PIN TENSION LOAD:
			1/1			
				DATE: 2023. 07. 06		DRAWING NO. : A
						REV. : A